


### Reducing Tee - No. 115S

Nominal Size	Part Number	Max. Working Pressure psi/ kPa	C to E Inch/mm	Approx. Wgt.Ea. lb. /kg.
1 1/2"x1 1/2"x1"	115S150100	300 2070	2.50 63.5	1.4 0.6
1 1/2"x1 1/2"x1 1/4"	115S150125	300 2070	2.50 63.5	1.5 0.7
2"x2"x1"	115S200100	300 2070	2.75 69.8	2.4 1.1
2"x2"x1 1/4"	115S200125	300 2070	2.75 69.8	1.6 0.7
2"x2"x1 1/2"	115S200150	300 2070	2.75 69.8	2.7 1.2
2 1/2"x2 1/2"x1"	115S250100	300 2070	3.00 76.2	3.4 1.6
2 1/2"x2 1/2"x1 1/4"	115S250125	300 2070	3.00 76.2	3.8 1.7
2 1/2"x2 1/2"x1 1/2"	115S250150	300 2070	3.00 76.2	3.5 1.6
2 1/2"x2 1/2"x2"	115S250200	300 2070	3.00 76.2	4.1 1.8
3"x3"x1"	115S300100	300 2070	3.38 85.9	4.2 1.9
3"x3"x1 1/4"	115S300125	300 2070	3.38 85.9	5.2 2.4
3"x3"x1 1/2"	115S300150	300 2070	3.38 85.9	4.8 2.2
3"x3"x2"	115S300200	300 2070	3.38 85.9	5.0 2.2
3"x3"x2 1/2"	115S300250	300 2070	3.38 85.9	5.2 2.4
4"x4"x1"	115S400100	300 2070	4.00 101.6	7.0 3.2
4"x4"x1 1/4"	115S400125	300 2070	4.00 101.6	8.6 3.9
4"x4"x1 1/2"	115S400150	300 2070	4.00 101.6	9.2 4.2
4"x4"x2"	115S400200	300 2070	4.00 101.6	10.1 4.6
4"x4"x2 1/2"	115S400250	300 2070	4.00 101.6	10.3 4.7
4"x4"x3"	115S400300	300 2070	4.00 101.6	10.4 4.7



Style 115S

### Reducing Tee - No. 115S

Nominal Size	Part Number	Max. Working Pressure psi/ kPa	C to E Inch/mm	Approx. Wt Ea. lb. /kg.
6"x6"x2"	115S600200	300 2070	5.50 139.7	23.8 10.8
6"x6"x2 1/2"	115S600250	300 2070	5.50 139.7	23.9 10.8
6"x6"x3"	115S600300	300 2070	5.50 139.7	23.9 10.8
6"x6"x4"	115S600400	300 2070	5.50 139.7	22.5 10.2
6"x6"x5"	115S600500	300 2070	5.50 139.7	20.9 9.5
8"x8"x2"	115S800200	300 2070	6.95 176.5	30.2 13.7
8"x8"x2 1/2"	115S800250	300 2070	6.95 176.5	35.1 15.9
8"x8"x3"	115S800300	300 2070	6.95 176.5	30.2 13.7
8"x8"x4"	115S800400	300 2070	6.95 176.5	45.0 20.4
8"x8"x6"	115S800600	300 2070	6.95 176.5	38.1 17.3